

Kongres Container

Base station power backup calculation



Overview

Formula: Capacity (Ah)=Power (W)×Backup Hours (h)/Battery Voltage (V)

Example: If a base station consumes 500W and needs 4 hours of backup at 48V, the required capacity is: $500W \times 4h / 48V = 41.67Ah$ Choosing a battery with a slightly higher capacity ensures reliability under real-world conditions. How to determine backup energy storage capacity of base stations?

For the determination of the backup energy storage capacity of base stations in different regions, this paper mainly considers three factors: power supply reliability of the grid node where the base station is located (grid node vulnerability), the load level of the grid node and communication load.

Why do base stations have a small backup energy storage time?

Base stations' backup energy storage time is often related to the reliability of power supply between power grids. For areas with high power supply reliability, the backup energy storage time of base stations can be set smaller.

What is the relationship between power supply reliability and backup time?

According to the inverse relationship between the power supply reliability of the distribution network and the backup time of the base station, the traditional base station energy storage model is modified to obtain a base station energy storage model that is affected by power supply reliability and base station communication volume.

Does a base station energy storage model improve the utilization rate?

Where traffic is high, less base station energy storage capacity is available. Compared with the fixed backup time, the base station energy storage model proposed in this article not only improves the utilization rate of base station energy storage, but also reduces the power loss load and power loss cost in the distribution network fault area.

Is backup energy storage time a constant?

In the research, relevant scholars often regard the backup energy storage time of the base station as a constant [22, 23], and only consider the variability of the base station power consumption. Base stations' backup energy storage time is often related to the reliability of power supply between power grids.

What is a base station energy storage capacity model?

Based on the base station energy storage capacity model established in contribution (1), an objective function is established to minimize the system operating cost in the fault area, and the base station energy storage owned by mobile operators is used as an emergency power source to participate in power supply restoration.

Base station power backup calculation

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.drugiswiatowykongrespolakow.pl>