

Kongres Container

Belgian container power generation brand

12.8V 200Ah



Overview

Which genset containers are available?

All genset containers are also available with an option for -40°C and most variants can be upgraded for $+45^{\circ}\text{C}$. A broad range of options, both mechanical and electrical, are available to ensure that our containers meet the project requirements. For example, we offer several heat recovery configurations and exhaust after treatment systems.

What is a containerized power module?

Fueled by natural gas, the power module is dedicated to the production of electrical energy. Containerized power module with a power output of 3MW. Plymouth, UK. Flexible generation power plant to balance the local electricity network in an area with growing demand. 2 containerized power modules with a combined power of 5 MW. Yeovil, UK.

What types of containers are available?

Type 6 containers are available with a similarly broad range of options that we offer for the Type 2 / 3 / 4 containers. These include several heat recovery configurations, exhaust after treatment systems, compliance with country-specific regulations, earthquake safety requirements and various ambient conditions.

Are containerized generators reliable?

Years of use in the rental, oil and gas, mining and other heavy-duty industries have tested the reliability, usability and durability of our containerized generators. Our primary design challenges in developing this line of containerized generators were usability, reliability and functionality for the end user.

What is the standard ventilation for genset containers?

The standard ventilation is designed for ambient temperatures from -25°C to

+40°C. The genset containers can be equipped with several additional features to enable operation at lower temperatures on request. Type 6 containers are available with a similarly broad range of options that we offer for the Type 2 / 3 / 4 containers.

What are the sound pressure levels available for genset containers?

Lower sound pressure levels are available on request. The standard ventilation is designed for ambient temperatures from -25°C to +34°C. All genset containers are also available with an option for -40°C and most variants can be upgraded for +45°C.

Belgian container power generation brand

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.drugiswiatowykongrespolakow.pl>