


Kongres Container

Distributed power generation of 5G communication base stations in Argentina



Overview

What is a distributed collaborative optimization approach for 5G base stations?

In this paper, a distributed collaborative optimization approach is proposed for power distribution and communication networks with 5G base stations. Firstly, the model of 5G base stations considering communication load demand migration and energy storage dynamic backup is established.

What is a 5G base station?

At the same time, a large number of 5G base stations (BSs) are connected to distribution networks, which usually involve high power consumption and are equipped with backup energy storage, giving it significant demand response potential.

What is the energy consumption of 5G communication base stations?

Overall, 5G communication base stations' energy consumption comprises static and dynamic power consumption. Among them, static power consumption pertains to the reduction in energy required in 5G communication base stations that remains constant regardless of service load or output transmission power.

What are the operational constraints of 5G communication base stations?

The operational constraints of 5G communication base stations studied in this paper mainly include the energy consumption characteristics of the base stations themselves, the communication characteristics, and the operational constraints of their internal energy storage batteries.

What is a collaborative optimal operation model of 5G base stations?

Afterward, a collaborative optimal operation model of power distribution and communication networks is designed to fully explore the operation flexibility of 5G base stations, and then an improved distributed algorithm based on the

ADMM is developed to achieve the collaborative optimization equilibrium.

What is the energy storage battery capacity of a 5G base station?

The energy storage battery for each base station has a rated capacity of 18 kWh, a maximum charge/discharge power of 3 kW, a SOC range from 10% to 90%, and an efficiency of 0.85. Modified IEEE 33-bus distribution network. Basic parameters of 5G communication base stations.

Distributed power generation of 5G communication base stations in

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.drugiswiatowykongrespolakow.pl>