

## Kongres Container

**Does the outdoor battery cabinet have a 48V DC output**



## Overview

---

PART NUMBER: 039-357-20-011 INPUT RATING: 240V, 122.6A, 60HZ, AUXILIARY INPUT RATING: 120V, 30A, 60HZ, OUTPUT RATING: 48V DC, 500A DC.

PART NUMBER: 039-357-20-011 INPUT RATING: 240V, 122.6A, 60HZ, AUXILIARY INPUT RATING: 120V, 30A, 60HZ, OUTPUT RATING: 48V DC, 500A DC.

HindlePower's Battery Cabinet is designed to maximize DC system performance and battery life, saving YOU time and money. The EPIC series battery cabinet offers a NEMA 3R and NEMA 1 modular design, with built in intelligence, will safely house any combination of batteries, chargers, DC distribution.

Warranty: Vertiv backs all Vertiv™ Liebert® PSI5 UPS systems with two-year, full unit coverage, including the battery. The Vertiv no-hassle, advanced replacement warranty covers all shipping fees and includes next-day delivery, which ensures customers will receive their replacement UPS prior to.

The Liebert GXT4-48VBATT is a professional-grade external battery cabinet designed to extend the runtime of compatible Vertiv™ Liebert® GXT4 UPS systems. This 2U rackmountable solution features a robust 48V DC lead-acid battery system with a 9000mAh capacity, ensuring reliable backup power when you.

The LinkPower UPS1048 offers AC to battery backup with a stable 48V DC output of up to 260W. Encased in a durable IP68 housing, it guarantees durability even in harsh weather conditions. With a wide input voltage range (100 to 240V AC) and operating temperatures from -4°F to 140°F, the Outdoor UPS.

AZE's Outdoor Battery Cabinets with Air Conditioners are designed to house a variety of batteries, they provide protection from vandalism, dust, rain, snow and dripping water in wireless communication base station including the new generation of 4G system, communication network/network integrated.

TEMPEST, MODEL TE 12, P/N 039-357-20, NEW ARGUS/ALPHA OUTDOOR 48V POWER SYSTEM, 4 AVAILABLE SET UP FOR LTE. PART NUMBER: 039-357-20-011 INPUT RATING: 240V, 122.6A, 60HZ, AUXILIARY INPUT RATING: 120V, 30A, 60HZ, OUTPUT RATING: 48V DC, 500A DC. INPUT RATING FOR GENERATOR RECEPTACLE: 120/240V, 200A.

## Does the outdoor battery cabinet have a 48V DC output

---

### Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.drugiswiatowykongrespolakow.pl>