

Kongres Container

Investment and construction of energy storage charging piles



Overview

What is energy storage charging pile management system?

System Architecture Design Based on the Internet of Things technology, the energy storage charging pile management system is designed as a three-layer structure, and its system architecture is shown in Figure 9. The perception layer is energy storage charging pile equipment.

How does the energy storage charging pile's scheduling strategy affect cost optimization?

By using the energy storage charging pile's scheduling strategy, most of the user's charging demand during peak periods is shifted to periods with flat and valley electricity prices. At an average demand of 30 % battery capacity, with 50–200 electric vehicles, the cost optimization decreased by 18.7%–26.3 % before and after optimization.

How to reduce charging cost for users and charging piles?

Based Eq. , to reduce the charging cost for users and charging piles, an effective charging and discharging load scheduling strategy is implemented by setting the charging and discharging power range for energy storage charging piles during different time periods based on peak and off-peak electricity prices in a certain region.

What is the energy storage charging pile system for EV?

The new energy storage charging pile system for EV is mainly composed of two parts: a power regulation system and a charge and discharge control system. The power regulation system is the energy transmission link between the power grid, the energy storage battery pack, and the battery pack of the EV.

How do energy storage charging piles work?

To optimize grid operations, concerning energy storage charging piles

connected to the grid, the charging load of energy storage is shifted to nighttime to fill in the valley of the grid's baseline load. During peak electricity consumption periods, priority is given to using stored energy for electric vehicle charging.

How to calculate energy storage based charging pile?

Based on the real-time collected basic load of the residential area and with a fixed maximum input power from the same substation, calculate the maximum operating power of the energy storage-based charging pile for each time period: (1) $P_m(t h) = P_{am} - P_b(t h) = P_{cm}(t h) - P_{dm}(t h)$

Investment and construction of energy storage charging piles

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.drugiswiatowykongrespolakow.pl>